



1/6

FIG. 1a
(Prior Art)




2/6

FIG. 1b
(Prior Art)




3/6

FIG. 2



4/6

FIG. 3a



5/6

FIG. 3b




Figure 1 consists of 12 sub-graphs, labeled (a) through (l), each plotting a different physiological parameter over a 10-minute period. The y-axis for all graphs ranges from 0 to 100. The x-axis for all graphs ranges from 0 to 10 minutes. The graphs show a general trend of increasing values during the intervention period, with some parameters showing a sharp increase at the start of the intervention.

- (a) HR (b/min): Shows a sharp increase from approximately 60 to 80 b/min within the first 2 minutes, then levels off.
- (b) BP (mmHg): Shows a steady increase from approximately 100 to 120 mmHg.
- (c) SV (ml): Shows a steady increase from approximately 50 to 70 ml.
- (d) SVI (ml/m²): Shows a steady increase from approximately 40 to 60 ml/m².
- (e) CO (l/min): Shows a steady increase from approximately 4 to 6 l/min.
- (f) COI (l/min/m²): Shows a steady increase from approximately 2.5 to 3.5 l/min/m².
- (g) P (mmHg): Shows a steady increase from approximately 10 to 20 mmHg.
- (h) P (mmHg): Shows a steady increase from approximately 10 to 20 mmHg.
- (i) P (mmHg): Shows a steady increase from approximately 10 to 20 mmHg.
- (j) P (mmHg): Shows a steady increase from approximately 10 to 20 mmHg.
- (k) P (mmHg): Shows a steady increase from approximately 10 to 20 mmHg.
- (l) P (mmHg): Shows a steady increase from approximately 10 to 20 mmHg.

